

EAST BRS Search #1

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	TPTP	USPAT	OR	ON	2005/09/14 09:37
L2	14	thermal ADJ pole ADJ tip ADJ protrusion	USPAT	OR	ON	2005/09/14 09:03
L3	506	pole NEAR5 protrusion	USPAT	OR	ON	2005/09/14 09:37
L4	44	L3 with (record\$3 or writ\$3)	USPAT	OR	ON	2005/09/14 09:37
L5	34	pole ADJ tip ADJ protrusion	USPAT	OR	ON	2005/09/14 09:38
L6	2891023	(abnormal\$3 or decreas\$3 or reduc\$4 or lower\$3)	USPAT	OR	ON	2005/09/14 09:20
L7	215202	clearance or clearence	USPAT	OR	ON	2005/09/14 09:39
L8	3570	(fly or flying) ADJ3 height	USPAT	OR	ON	2005/09/14 09:39
L9	1234	(float or floating) ADJ3 amount	USPAT	OR	ON	2005/09/14 09:39
L10	1857489	space or spacing or distance or displacement	USPAT	OR	ON	2005/09/14 09:39
L11	743288	head or transducer	USPAT	OR	ON	2005/09/14 09:40
L12	1098350	disk or disc or medium or media	USPAT	OR	ON	2005/09/14 09:40
L13	624746	defect or defective or error or asperity	USPAT	OR	ON	2005/09/14 09:41
L14	2472386	rate or frequency or count or number	USPAT	OR	ON	2005/09/14 09:41
L15	2849101	control or controlling or vary or varying or varies or varied or change or changing or alter or altering or modify or modifying	USPAT	OR	ON	2005/09/14 09:41
L16	1012003	current	USPAT	OR	ON	2005/09/14 09:41
L17	74	L1 or L2 or L4 or L5	USPAT	OR	ON	2005/09/14 09:13
L18	6181	L10 NEAR5 L11 NEAR5 L12	USPAT	OR	ON	2005/09/14 09:15
L19	2193606	surface or platter	USPAT	OR	ON	2005/09/14 09:15
L20	2563377	L12 or L19	USPAT	OR	ON	2005/09/14 09:15
L21	12815	L10 NEAR5 L11 NEAR5 L20	USPAT	OR	ON	2005/09/14 09:18
L22	229200	L7 or L8 or L9 or L21	USPAT	OR	ON	2005/09/14 09:17
L23	1901614	L7 or L10	USPAT	OR	ON	2005/09/14 09:17
L24	48186	L10 NEAR5 L11 NEAR5 L23	USPAT	OR	ON	2005/09/14 10:19
L25	51678	L8 or L9 or L24	USPAT	OR	ON	2005/09/14 09:18
L26	3124201	(abnormal\$3 or decreas\$3 or reduc\$4 or lower\$3 or chang\$3)	USPAT	OR	ON	2005/09/14 09:38
L27	1902414	L8 or L9 or L23	USPAT	OR	ON	2005/09/14 09:24
L28	327416	L26 NEAR5 L27	USPAT	OR	ON	2005/09/14 09:25
L29	327467	L17 or L28	USPAT	OR	ON	2005/09/14 09:26
L30	51	L29 not L28	USPAT	OR	ON	2005/09/14 09:26
L31	23	L17 not L30	USPAT	OR	ON	2005/09/14 09:27
L32	92347	L13 NEAR5 L14	USPAT	OR	ON	2005/09/14 09:28

L33	275139	L15 NEAR10 L16	USPAT	OR	ON	2005/09/14 09:29
L34	19	L29 same L32 same L33	USPAT	OR	ON	2005/09/14 09:33
L35	4	L34 and L11 and L12	USPAT	OR	ON	2005/09/14 09:34
L36	16	TPTP	US-PGPUB	OR	ON	2005/09/14 10:34
L37	270	pole NEAR5 protrusion	US-PGPUB	OR	ON	2005/09/14 10:34
L38	71	L37 with (record\$3 or writ\$3)	US-PGPUB	OR	ON	2005/09/14 10:34
L39	55	pole ADJ tip ADJ protrusion	US-PGPUB	OR	ON	2005/09/14 10:35
L40	904695	(abnormal\$3 or decreas\$3 or reduc\$4 or lower\$3 or chang\$3)	US-PGPUB	OR	ON	2005/09/14 10:36
L41	50119	clearance or clearence	US-PGPUB	OR	ON	2005/09/14 10:36
L42	1429	(fly or flying) ADJ3 height	US-PGPUB	OR	ON	2005/09/14 10:36
L43	417	(float or floating) ADJ3 amount	US-PGPUB	OR	ON	2005/09/14 10:36
L44	525999	space or spacing or distance or displacement	US-PGPUB	OR	ON	2005/09/14 10:37
L45	193822	head or transducer	US-PGPUB	OR	ON	2005/09/14 09:40
L46	423959	disk or disc or medium or media	US-PGPUB	OR	ON	2005/09/14 09:40
L47	260674	defect or defective or error or asperity	US-PGPUB	OR	ON	2005/09/14 10:38
L48	793632	rate or frequency or count or number	US-PGPUB	OR	ON	2005/09/14 10:38
L49	846561	control or controlling or vary or varying or varies or varied or change or changing or alter or altering or modify or modifying	US-PGPUB	OR	ON	2005/09/14 10:43
L50	399875	current	US-PGPUB	OR	ON	2005/09/14 10:44
L51	98	L36 or L38 or L39	US-PGPUB	OR	ON	2005/09/14 09:42
L52	575330	surface or platter	US-PGPUB	OR	ON	2005/09/14 09:51
L53	759719	L46 or L52	US-PGPUB	OR	ON	2005/09/14 09:52
L54	538024	L41 or L44	US-PGPUB	OR	ON	2005/09/14 09:52
L55	13715	L11 NEAR5 L20 NEAR5 L23	USPAT	OR	ON	2005/09/14 10:22
L56	16919	L8 or L9 or L55	USPAT	OR	ON	2005/09/14 10:26
L57	538339	L41 or L42 or L43 or L44	US-PGPUB	OR	ON	2005/09/14 10:27
L58	100203	L40 NEAR5 L57	US-PGPUB	OR	ON	2005/09/14 10:28
L59	41868	L47 NEAR5 L48	US-PGPUB	OR	ON	2005/09/14 10:28
L60	95938	L49 NEAR10 L50	US-PGPUB	OR	ON	2005/09/14 10:29
L61	100240	L51 or L58	US-PGPUB	OR	ON	2005/09/14 10:30
L62	4	L59 same L60 same L61	US-PGPUB	OR	ON	2005/09/14 10:33
L63	37	L61 not L58	US-PGPUB	OR	ON	2005/09/14 10:31
L64	61	L51 not L63	US-PGPUB	OR	ON	2005/09/14 10:31
L65	1	L62 and L45 and L46	US-PGPUB	OR	ON	2005/09/14 10:32
L66	0	TPTP	EPO	OR	ON	2005/09/14 10:39
L67	15	pole NEAR5 protrusion	EPO	OR	ON	2005/09/14 10:39

L68	0	L67 with (record\$3 or writ\$3)	EPO	OR	ON	2005/09/14 10:39
L69	1	pole ADJ tip ADJ protrusion	EPO	OR	ON	2005/09/14 10:40
L70	356845	(abnormal\$3 or decreas\$3 or reduc\$4 or lower\$3 or chang\$3)	EPO	OR	ON	2005/09/14 10:40
L71	8070	clearance or clearence	EPO	OR	ON	2005/09/14 10:41
L72	71	(fly or flying) ADJ3 height	EPO	OR	ON	2005/09/14 10:41
L73	18	(float or floating) ADJ3 amount	EPO	OR	ON	2005/09/14 10:41
L74	169024	space or spacing or distance or displacement	EPO	OR	ON	2005/09/14 10:41
L75	175686	L71 or L72 or L73 or L74	EPO	OR	ON	2005/09/14 10:37
L76	9158	L70 NEAR5 L75	EPO	OR	ON	2005/09/14 10:37
L77	9159	L69 or L76	EPO	OR	ON	2005/09/14 10:38
L78	28006	defect or defective or error or asperity	EPO	OR	ON	2005/09/14 10:42
L79	204688	rate or frequency or count or number	EPO	OR	ON	2005/09/14 10:42
L80	2670	L78 NEAR5 L79	EPO	OR	ON	2005/09/14 10:38
(L81)	6	L77 same L80	EPO	OR	ON	2005/09/14 10:39
L82	1	TPTP	JPO	OR	ON	2005/09/14 10:45
L83	226	pole NEAR5 protrusion	JPO	OR	ON	2005/09/14 10:45
L84	1	L83 with (record\$3 or writ\$3)	JPO	OR	ON	2005/09/14 10:45
L85	2	pole ADJ tip ADJ protrusion	JPO	OR	ON	2005/09/14 10:45
L86	3	L82 or L84 or L85	JPO	OR	ON	2005/09/14 10:40
L87	2524252	(abnormal\$3 or decreas\$3 or reduc\$4 or lower\$3 or chang\$3)	JPO	OR	ON	2005/09/14 10:46
L88	52225	clearance or clearence	JPO	OR	ON	2005/09/14 10:46
L89	197	(fly or flying) ADJ3 height	JPO	OR	ON	2005/09/14 10:46
L90	652	(float or floating) ADJ3 amount	JPO	OR	ON	2005/09/14 10:46
L91	607242	space or spacing or distance or displacement	JPO	OR	ON	2005/09/14 10:47
L92	651686	L88 or L89 or L90 or L91	JPO	OR	ON	2005/09/14 10:41
L93	72560	L87 NEAR5 L92	JPO	OR	ON	2005/09/14 10:42
L94	72563	L86 or L93	JPO	OR	ON	2005/09/14 10:42
L95	252567	defect or defective or error or asperity	JPO	OR	ON	2005/09/14 10:49
L96	1134695	rate or frequency or count or number	JPO	OR	ON	2005/09/14 10:49
L97	21355	L95 NEAR5 L96	JPO	OR	ON	2005/09/14 10:43
L98	69	L94 same L97	JPO	OR	ON	2005/09/14 10:43
L99	1796029	control or controlling or vary or varying or varies or varied or change or changing or alter or altering or modify or modifying	JPO	OR	ON	2005/09/14 10:50
L100	399408	current	JPO	OR	ON	2005/09/14 10:50

L101	86136	L99 NEAR10 L100	JPO	OR	ON	2005/09/14 10:44
L102	1	L98 same L101	JPO	OR	ON	2005/09/14 10:44
L103	6	TPTP	DERWENT	OR	ON	2005/09/14 10:52
L104	385	pole NEAR5 protrusion	DERWENT	OR	ON	2005/09/14 10:52
L105	24	L104 with (record\$3 or writ\$3)	DERWENT	OR	ON	2005/09/14 10:45
L106	20	pole ADJ tip ADJ protrusion	DERWENT	OR	ON	2005/09/14 10:52
L107	36	L103 or L105 or L106	DERWENT	OR	ON	2005/09/14 10:46
L108	3822581	(abnormal\$3 or decreas\$3 or reduc\$4 or lower\$3 or chang\$3)	DERWENT	OR	ON	2005/09/14 10:53
L109	76528	clearance or clearence	DERWENT	OR	ON	2005/09/14 10:53
L110	670	(fly or flying) ADJ3 height	DERWENT	OR	ON	2005/09/14 10:53
L111	227	(float or floating) ADJ3 amount	DERWENT	OR	ON	2005/09/14 10:53
L112	1144470	space or spacing or distance or displacement	DERWENT	OR	ON	2005/09/14 10:53
L113	1206737	L109 or L110 or L111 or L112	DERWENT	OR	ON	2005/09/14 10:47
L114	101422	L108 NEAR5 L113	DERWENT	OR	ON	2005/09/14 10:48
L115	101456	L107 or L114	DERWENT	OR	ON	2005/09/14 10:48
L118	291974	defect or defective or error or asperity	DERWENT	OR	ON	2005/09/14 10:54
L119	2171175	rate or frequency or count or number	DERWENT	OR	ON	2005/09/14 10:54
L120	24996	L118 NEAR5 L119	DERWENT	OR	ON	2005/09/14 10:50
L121	94	L115 same L120	DERWENT	OR	ON	2005/09/14 10:50
L122	2855007	control or controlling or vary or varying or varies or varied or change or changing or alter or altering or modify or modifying	DERWENT	OR	ON	2005/09/14 10:55
L123	607186	current	DERWENT	OR	ON	2005/09/14 10:55
L124	127494	L122 NEAR10 L123	DERWENT	OR	ON	2005/09/14 10:51
L125	2	L121 same L124	DERWENT	OR	ON	2005/09/14 10:51
L126	0	TPTP	IBM_TDB	OR	ON	2005/09/14 10:52
L127	2	pole NEAR5 protrusion	IBM_TDB	OR	ON	2005/09/14 10:52
L128	1	pole ADJ tip ADJ protrusion	IBM_TDB	OR	ON	2005/09/14 10:52
L129	2	L127 or L128	IBM_TDB	OR	ON	2005/09/14 10:52
L130	38643	(abnormal\$3 or decreas\$3 or reduc\$4 or lower\$3 or chang\$3)	IBM_TDB	OR	ON	2005/09/14 10:53
L131	877	clearance or clearence	IBM_TDB	OR	ON	2005/09/14 10:53
L132	196	(fly or flying) ADJ3 height	IBM_TDB	OR	ON	2005/09/14 10:53
L133	2	(float or floating) ADJ3 amount	IBM_TDB	OR	ON	2005/09/14 10:53
L134	13795	space or spacing or distance or displacement	IBM_TDB	OR	ON	2005/09/14 10:53
L135	14516	L131 or L132 or L133 or L134	IBM_TDB	OR	ON	2005/09/14 10:53

L136	805	L130 NEAR5 L135	IBM_TDB	OR	ON	2005/09/14 10:54
L137	0	L129 same L136	IBM_TDB	OR	ON	2005/09/14 10:54
L138	807	L129 or L136	IBM_TDB	OR	ON	2005/09/14 10:54
L139	11264	defect or defective or error or asperity	IBM_TDB	OR	ON	2005/09/14 10:54
L140	31832	rate or frequency or count or number	IBM_TDB	OR	ON	2005/09/14 10:55
L141	968	L139 NEAR5 L140	IBM_TDB	OR	ON	2005/09/14 10:55
L142	11	L138 same L141	IBM_TDB	OR	ON	2005/09/14 10:55
L143	38281	control or controlling or vary or varying or varies or varied or change or changing or alter or altering or modify or modifying	IBM_TDB	OR	ON	2005/09/14 10:55
L144	17803	current	IBM_TDB	OR	ON	2005/09/14 10:55
L145	1692	L143 NEAR5 L144	IBM_TDB	OR	ON	2005/09/14 10:55
L146	0	L142 same L145	IBM_TDB	OR	ON	2005/09/14 10:55

EAST BRS Search #2

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	TPTP	USPAT	OR	ON	2005/09/14 15:03
L2	743288	head or transducer	USPAT	OR	ON	2005/09/14 15:04
L3	1098350	disk or disc or medium or media	USPAT	OR	ON	2005/09/14 15:04
L4	1032	pole NEAR5 (protrude or protrusion)	USPAT	OR	ON	2005/09/14 14:38
L5	1043	L1 or L4	USPAT	OR	ON	2005/09/14 14:38
L6	85	(pole NEAR5 (protrude or protrusion)) same (heat or temperature or thermal)	USPAT	OR	ON	2005/09/14 15:04
L7	96	L1 or L6	USPAT	OR	ON	2005/09/14 14:38
L8	51	L2 and L3 and L7	USPAT	OR	ON	2005/09/14 14:38
L9	239	L2 and L3 and L5	USPAT	OR	ON	2005/09/14 14:38
L10	188	L9 not L8	USPAT	OR	ON	2005/09/14 15:03
L11	16	TPTP	US-PGPUB	OR	ON	2005/09/14 15:04
L12	193822	head or transducer	US-PGPUB	OR	ON	2005/09/14 15:04
L13	423959	disk or disc or medium or media	US-PGPUB	OR	ON	2005/09/14 15:04
L14	116	(pole NEAR5 (protrude or protrusion)) same (heat or temperature or thermal)	US-PGPUB	OR	ON	2005/09/14 15:05
L15	122	L11 or L14	US-PGPUB	OR	ON	2005/09/14 15:05
L16	101	L12 and L13 and L15	US-PGPUB	OR	ON	2005/09/14 15:05

Searched circled L #'s